# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S1 | 1925 | 375/340.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/04 11:06 |
| S2 | 1499 | 375/340.ccls. and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 09:32 |
| S3 | 221 | ((modulat$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/08 13:41 |
| S4 | 155 | ((modulat$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert$4)) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/23 17:38 |
| S5 | 5 | (((different or multipl$3 or many or plural$4) near1 modulat$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert$4)) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/23 17:42 |
| S6 | 2 | (((different or multipl$3 or many or plural$4) near1 modulat$4 near (format or mode or standard)) same (rate near convert$4)) and (adc or (analog near1 digital near convert$4)) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/23 17:46 |
| S7 | 10 | (((different or multipl$3 or many or plural$4) near1 modulat$4 near (format or mode or standard)) and (rate near convert$4)) and (adc or (analog near1 digital near convert$4)) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/30 18:29 |
| S8 | 120 | (down near convert$4) same (adc or (analog near digital near convert$4)) and (data near rate) and (modulat$4 near (mode or format or standar$4)) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/30 18:32 |

# EAST Search History

| S9 | 21 | (down near convert$4) same (adc or (analog near digital near convert$4)) and ((data near rate) same (modulat$4 near (mode or format or standar$4))) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/30 18:36 |
|---|---|---|---|---|---|---|
| S11 | 5 | (down near convert$4) same (adc or (analog near digital near convert$4)) and ((data near rate) and ((differen$3 or seperat$3 or many or multipl$3 or plural$4) near2 modulat$4 near (mode or format or standar$4))) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/30 19:08 |
| S12 | 5 | (down near convert$4) same (adc or (analog near digital near convert$4)) and ((data near rate) and ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near2 modulat$4 near (mode or format or standar$4))) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/30 19:09 |
| S13 | 5 | (down near convert$4) same (adc or (analog near digital near convert$4)) and ((data near rate) and ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near2 (modulat$4) near (mode or format$3 or standar$4))) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/30 19:11 |
| S14 | 6 | (down near convert$4) same (adc or (analog near digital near convert$4)) and ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near2 (modulat$4) near (mode or format$3 or standar$4)) and "375"/.ccls. and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/31 11:38 |
| S15 | 1 | ((down near convert$4) or (base near band) or (base-band)) same (adc or (analog near digital near convert$4)) and ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near2 (modulat$4) near (mode or format$3 or standar$4)) and (wireless near rec$6) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 15:11 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S16 | 2 | ((down near convert$4) or (base near band) or (base-band)) and (adc or (analog near digital near convert$4)) and ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near2 (modulat$4) near (mode or format$3 or standar$4)) and (wireless near rec$6) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/31 11:54 |
| S17 | 64 | ((down near convert$4) or (base near band) or (base-band)) and (adc or (analog near digital near convert$4)) and ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near2 (modulat$4) near (mode or format$3 or standar$4 or method)) and (data near rate) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/31 15:38 |
| S18 | 489 | common near (adc or a/d or (analog near1 digital near convert$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/04 14:34 |
| S19 | 380 | common near (adc or a/d or (analog near1 digital near convert$4)) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/04 14:45 |
| S20 | 47 | common near (adc or a/d or (analog near1 digital near convert$4)) and @ad<"20030630" and (data rate) and (format or mode or standard) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/04 17:31 |
| S21 | 2 | common near (adc or a/d or (analog near1 digital near convert$4)) and @ad<"20030630" and (data rate) and (format or mode or standard) and rate near convert$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/04 17:32 |
| S22 | 39 | (mode near detection) same (decimat$4 or (rate near conver$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 11:24 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S23 | 45 | (mode near detect$4) same (decimat$4 or (rate near (convers$5 or convert$4))) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 11:31 |
| S24 | 13 | (mode near detect$4) same (decimat$4 or (rate near (convers$5 or convert$4))) and (data near rate) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 11:59 |
| S25 | 20128 | (mode near detect$4) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 11:59 |
| S26 | 14178 | (mode detect$4) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 11:59 |
| S27 | 342 | (mode detect$4) and @ad<"20030630" and "375"/.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 12:01 |
| S28 | 94 | (mode detect$4) and (data rate) and @ad<"20030630" and "375"/. ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 12:07 |
| S29 | 247 | ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near2 (modulat$4) near (mode or format$3 or standar$4)) and (data rate) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 10:01 |
| S30 | 2 | ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near (modulat$4) near (mode or format$3 or standar$4)) and (data rate) and (mode detect$4) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 15:25 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S31 | 2 | ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near (modulat$4) near (mode or format$3 or standar$4)) and (data rate) and (mode near detect$4) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 16:02 |
| S32 | 3 | ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near (modulat$4) near (mode or format$3 or standar$4)) and ((data rate) or (sampl$4 rate) or (digiti$4 rate)) and (mode near detect$4) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 16:07 |
| S34 | 2 | us-5313631-$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 16:11 |
| S35 | 2 | us-7164731-$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/06 16:11 |
| S36 | 87 | 375/340.ccls. and @ad<"20030630" and (power near control) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 09:40 |
| S37 | 1316 | @ad<"20030630" and (power near control near modul$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 09:41 |
| S38 | 1 | @ad<"20030630" and (power near control near modul$3) and (base near band near3 modul$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 09:43 |
| S39 | 7 | @ad<"20030630" and (power near control near modul$3) and (base near band) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 09:52 |

# EAST Search History

| S40 | 5097 | @ad<"20030630" and (power near control$3) and ((baseband) or (base-band) or (base band)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 09:55 |
|-----|------|------|------|-----|----|------|
| S41 | 1037 | @ad<"20030630" and ((power near control$3) same ((baseband) or (base-band) or (base band))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 09:56 |
| S42 | 551 | @ad<"20030630" and ((power near control$3) same ((baseband) or (base-band) or (base band)) and (mode)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 10:41 |
| S43 | 68 | ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near2 (modulat$4) near (mode or format$3 or standar$4)) and (data rate) and (power near contro$4) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 10:32 |
| S44 | 1494 | ((differen$3 or seperat$3 or many or multipl$3 or plural$4 or various) near (mode or format$3 or standar$4)) and (data rate) and (power near (contro$4 or sav$3)) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 10:40 |
| S45 | 3 | @ad<"20030630" and ((power near (control$3 or sav$3) near mod$5) same (((baseband) or (base-band) or (base band)) near mod$4) and (mode)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 10:44 |
| S46 | 6 | @ad<"20030630" and ((power near (control$3 or sav$3) near mod$5) same (((baseband) or (base-band) or (base band)) near2 mod$4) and (mode)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 10:46 |
| S47 | 6 | @ad<"20030630" and ((power near (control$3 or sav$3) near mod$5) same ((baseband) or (base-band) or (base band)) near2 mod$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 11:03 |

| S48 | 45 | @ad<"20030630" and (((power near (control$3 or sav$3) near mod$5) or (agc)) same ((baseband) or (base-band) or (base band)) near2 mod$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/08 09:12 |
|---|---|---|---|---|---|---|
| S49 | 111 | @ad<"20030630" and (((power near (control$3 or sav$3)) or (agc)) same ((baseband) or (base-band) or (base band)) near2 mod$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 17:33 |
| S50 | 21 | ((modulat$4 near (format or mode or standard)) same (power (contro$4 or sav$4))) and (adc or (analog near1 digital near convert$4)) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 17:08 |
| S51 | 491 | common near (adc or a/d or (analog near1 digital near convert$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 17:33 |
| S52 | 45 | (power near (control$3 or sav$3)) and S51 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 17:35 |
| S53 | 23 | (power near (control$3 or sav$3)) and S51 and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 17:49 |
| S54 | 33 | ((power near (control$3 or sav$3)) same ((base near band) or (base-band)) same (mode)) and @ad<"20030630" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/07 17:53 |
| S55 | 1 | @ad<"20030630" and (((power near (control$3 or sav$3) near mod$5)) with ((baseband) or (base-band) or (base band)) near2 proces$5 near mod$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/08 09:13 |

# EAST Search History

| S56 | 2 | ((modulat$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert$4)) and (aci or (adja$4 near channe$3 near interfe$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/08 13:42 |
|---|---|---|---|---|---|---|
| S57 | 23 | farrow near interpolat$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/08 14:54 |
| S58 | 11 | farrow near interpolat$4 and @ad<"20030630" and ((baseband) or (base-band) or (base band)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/06/08 13:54 |